A NOTE ON THE EQUAL-LOSS PRINCIPLE FOR BARGAINING PROBLEMS*

Carmen Herrero y Ma Carmen Marco**

WP-AD 92-02

^{*} Thanks are due to L. Corchón, I. Ortuño, W. Thomson, A. Villar and an anonymous referee for helpful suggestions. Financial support from the C.I.C.Y.T., under project PS89-0066 is gratefully acknowledged.

^{**} C. Herrero: Instituto Valenciano de Investigaciones Económicas and University of Alicante.

M.C. Marco: University of Alicante.

Editor: Instituto Valenciano de Investigaciones Económicas, S.A. Primera Edición Mayo 1992.

ISBN: 84-7890-810-2

Depósito Legal: V-1619-1992 Impreso por KEY, S.A., Valencia. Cardenal Benlloch, 69, 46021-Valencia.

Printed in Spain.

A NOTE ON THE EQUAL-LOSS PRINCIPLE FOR BARGAINING PROBLEMS Carmen Herrero & M^a Carmen Marco

ABSTRACT

Some shortcomings of the equal-loss solution for bargaining problems are noticed: in general, it is not individually rational, and in case it is, then turns out a selection of the YU^{∞} solutions. Finally, a new way of proving characterization results is provided.



1. INTRODUCTION

The "equal-loss principle" in bargaining problems is introduced by Chun (1988), and then he proposes a new bargaining solution, which he calls equal-loss solution. Additionally, he provides us with two alternative characterizations of the aforementioned solution.

In this paper we present some considerations on the equal-loss solution for bargaining problems. Two main shortcomings are noticed: first, we prove (by means of an example) that, in general, the equal-loss solution is not individually rational; secondly, we prove that, in those cases in which the equal-loss solution is individually rational, then it turns out a selection of the set of YU^{∞} solutions to the bargaining problem. Finally, we comment on some problems appearing in the way of proving Chun's characterization results of the equal-loss solution.

Vector inequalities will be ≥, >, >>.

2. PRELIMINARIES

Following Nash (1950), a n-person bargaining problem is a pair (S,d), where S is a subset of \mathbb{R}^n , and d is a point of S. \mathbb{R}^n is the utility space, S is the feasible set and d is the disagreement point. The intended interpretation of (S,d) is as follows: the agents can achieve any point of S if they unanimously agree on it. Otherwise, they end up at d.

Given a class of n-person bargaining problems, a solution is a function F which associates to every problem (S,d) in the class a point F(S,d) in S, representing the agreement made by the agents.

Let Σ^n be the class of bargaining problems (S,d) such that $S \subset \mathbb{R}^n$ is convex, closed and comprehensive (if $x \in S$, and $y \le x$, then $y \in S$), and such that there exists $x \in S$, with x >> d. Whenever $(S,d) \in \Sigma^n$, we shall call IR(S,d) the set of individually rational points, and WPO(S) the set of weakly Pareto Optimal elements, i.e., $IR(S,d) = \{x \in S \mid x \ge d\}$, and $WPO(S) = \{x \in S \mid if y >> x, then <math>y \notin S\}$.

By considering $a_i(S,d) = \max\{x_i | x \in S, x \in IR(S,d)\}$, i = 1,...,n, we construct the *ideal point* a(S,d), such that for every i, gives the maximal obtainable utility levels of each agent subject to the condition that all agents achieve at least the utility levels of the disagreement point.

For $A \subset \mathbb{R}^n$, we shall denote by Co(A) the convex hull of set A, and by Com(A) the comprehensive hull of set A. CoCom(A) is simply the convex-comprehensive hull of set A.

When looking for solutions to the bargaining problem within the class Σ^n , some axioms are usually considered:

(WPO) Weak Pareto Optimality. For all $(S,d) \in \Sigma^n$, $F(S,d) \in WPO(S)$.

- (SY) Symmetry. For all $(S,d) \in \Sigma^n$ and for all permutations $\pi:\{1,\ldots,n\} \to \{1,\ldots,n\}, \text{ if } S = \pi(S) \text{ and } d = \pi(d), \text{ then } F_i(S,d) = F_i(S,d) \text{ for all } i,j.$
- (TI) Translation Invariance. For all $(S,d) \in \Sigma^n$ and for all $t \in \mathbb{R}^n$, $F(S+\{t\},\ d+t) = F(S,d) + t.$
- (IR) Individual Rationality. For all $(S,d) \in \Sigma^{n}$, $F(S,d) \in IR(S,d)$.
- (CONT) Continuity. For each sequence $\{(S^k,d^k)\}\subset \Sigma^n$, and every $(S,d)\in \Sigma^n$, if S^k converges to S in the Hausdorff Topology, and $d^k=d\ \forall\ k$, then $F(S^k,d^k)$ converges to F(S,d).

WPO requires that there be no feasible alternative in which all agents are better off than they are at the solution outcome; SY says that if the only information available on the conflict situation is contained

in the mathematical description of (S,d), and (S,d) is a symmetric problem, then there is no ground for favoring one agent at the expense of other agent. TI requires that the choice of origin for the utility functions does not matter. IR says that the solution outcome guarantees every agent to enjoy at least the utility levels they get at the disagreement point, and, finally, CONT implies that small variations in the opportunity set without changes in the disagreement point conveys to small variations in the solution.

3. YU AND EQUAL-LOSS SOLUTIONS

A class of solutions for this kind of problems was proposed by Yu (1973), sharing the idea of looking for the closest point in IR(S,d) to the ideal point. Then, by means of considering a particular family of distances in \mathbb{R}^n , namely, $d_p(x,y) = [\sum_{i=1}^n |(x_i - y_i)|^p]^{1/p}$, $1 \le p < \infty$, and $d_{\infty}(x,y) = \max_i |x_i - y_i|$, he gets a family of solutions to the bargaining problem, as those minimizing the adequate distance to the ideal point, and he called them YU^p , $1 \le p \le \infty$.

Strictly speaking, neither YU^1 , nor YU^∞ are solutions to the bargaining problem, since the associated norms $\|.\|_1$, $\|.\|_\infty$ are not strictly convex, and therefore both YU^1 , YU^∞ can be multi-valued [see Freimer & Yu (1976)].

It is worth mentioning that $YU^p(S,d) \in WPO(S) \cap IR(S,d)$, for $1 , and <math>YU^q(S,d) \subset WPO(S) \cap IR(S,d)$, for $q = 1, \infty$.

Moreover, as was pointed out by Chun (1988), in case n=2, one of the elements in $YU^{\infty}(S,d)$ corresponds to that point x in $WPO(S) \cap IR(S,d)$ such that $|a_1(S,d) - x_1| = |a_2(S,d) - x_2|$. Taking this idea into account, Chun proposed a new solution concept, as a variant of the YU^{∞} solution, as that point EL(S,d) = y in S such that $|a_1(S,d) - y_1| = |a_1(S,d) - y_1|$, \forall i,j, and this common difference is minimum. Chun's defence of its proposed solution is made on the grounds of the equal loss principle, namely, equalization across agents the losses from the ideal point, in a

similar spirit of the egalitarian solution [Kalai (1977)], which equalizes across agents the gains from the disagreement point.

Even though the equal-loss principle has received attention in the literature on bankrupcy and taxation [cf. Aumann & Maschler (1985) or Young (1987) (1988)], its introduction in bargaining problems presents some difficulties. Let us consider the following example:

Consider, in Σ^3 , the bargaining problem (S,d) such that d = (0,0,0), and $S = CoCom\{ (6,0,0); (0,2,0); (0,0,10) \}$. The ideal point is a = In this problem, the equal-loss solution, EL(S,d) (9/4,-7/4,25/4), with common losses from the ideal point of 15/4. Obviously, EL(S,d) is not individually rational, since agent 2 is worse off at EL(S,d) than she is at the disagreement point d. It is easy to see that there is no point in IR(S,d) such that it equalizes losses across agents from the ideal point. Let us now consider the possibility (9/4,0,25/4). It is easy to check that $(9/4,0,25/4) \in YU^{\infty}(S,d)$. Obviously, (9/4,0,25/4) is both individually rational and Pareto optimal. Moreover, (9/4,0,25/4) dominates (in the Pareto sense) EL(S,d).

In this example, two main shortcomings of EL(S,d) are showed: (i) EL(S,d) is not individually rational; (ii) If S=Com[IR(S,d)], then there exists another feasible outcome [in $YU^{\infty}(S,d)$], individually rational in which those individuals which gain from their status-quo situation are at the same utility level than in EL(S,d).

The relationship between $YU^{\infty}(S,d)$ and EL(S,d) is contained in the following proposition:

Proposition 1.- In case EL(S,d) is individually rational, then EL(S,d) belongs to $YU^{\omega}(S,d)$.

Proof:

Without loss of generality, we can assume d = 0, since, as was pointed out in Chun (1988), EL(S,d) satisfies TI.

Let us call $x:=\mathrm{EL}(S,d)$, and suppose $x\in\mathrm{IR}(S,d)$, but $x\notin\mathrm{YU}^{\infty}(S,d)$. In this case, there exists $y\in\mathrm{IR}(S,d)\cap\mathrm{WPO}(S)$, such that $\|a-y\|_{\infty}<\|a-x\|_{\infty}$, i.e, $y\in\mathrm{int}\ B_{\infty}(a,\|a-x\|)$, where $B_{\infty}(a,r)=\{z\in\mathbb{R}^n:\|a-z\|_{\infty}\leq r\}$. Now, since S is a comprehensive set, there exists a vertix in $B_{\infty}(a,\|a-y\|)$ in $\mathrm{IR}(S,d)$. Contradiction.

Chun (1988) noticed that previous result holds for 2-person bargaining problems. Notice that in case n=2, EL(S,d) is always individually rational. So, n=2 is a particular case of Proposition 1.

4. CHARACTERIZATIONS OF THE EQUAL-LOSS SOLUTION

Besides those properties presented in Section 2, Chun considers some additional properties:

- (W.MON) Weak Monotonicity. For every (S^1,d^1) , $(S^2,d^2) \in \Sigma^n$, if $S^1 \in S^2$, and $d^1=d^2$, and $a(S^1,d^1)=a(S^2,d^2)$, then $F(S^1,d^1) \leq F(S^2,d^2)$.
- (S.MON*) Itrong Monotonicity other than ideal point. For all (S^1,d^1) , $(S^2,d^2) \in \Sigma^n$, if $S^1 \subset S^2$ and $a(S^1,d^1) = a(S^2,d^2)$, then $F(S^1,d^1) \leq F(S^2,d^2)$.
- (ID.MON) Ideal point monotonicity. For all (S^1,d^1) , $(S^2,d^2) \in \Sigma^n$, and for all i, if $S^1 = S^2$, and $a_i(S^1,d^1) \leq a_i(S^2,d^2)$ and for all $j \neq i$, $a_i(S^1,d^1) = a_i(S^2,d^2)$, then $F_i(S^1,d^1) \leq F_i(S^2,d^2)$.

W.MON was introduced by Kalai & Smorodinski (1975) for two person bargaining problems, and was extended to n-person bargaining problems by Roth (1979). This property says that, if the feasible set expands in such a way that neither the disagreement point nor the ideal point change, then no agent may be worse off.

S.MON was introduced by Chun (1988), and requires that, if the feasible set expands and the disagreement point changes without affecting the ideal point, then no agent should loose. It is a variant of the requirement of strong monotonicity [Luce & Raiffa (1957)] which requires that if the feasible point spands while the disagreement point remains

fixed, then no agent should loose. It can be interpreted as a fairness condition: all agents should benefit from expanding opportunities.

ID.MON, introduced also by Chun (1988) requires that an increase of an agent's utility level at the ideal point, while the feasible set remains fixed, would not hurt her. For n = 2 it is essentially equivalent to the axiom of disagreement point monotonicity [Thomson (1987)], which requires that an increase of an agent's utility level at the disagreement point, ceteria paribus, would not hurt her.

Chun (1988) provides two characterization results:

Theorem 1.- The equal loss solution is the only solution satisfying WPO,SY,T.Inv and S.Mon*.

Theorem 2.- The equal-loss solution is the only solution satisfying WPO, SY, T.Inv., Cont., W.Mon. and Id.Mon.

In proving both theorems Chun starts by considering a generic problem $(S,d) \in \Sigma^n$ such that WPO(IR(S,d)) = PO(IR(S,d)). By T.Inv., he assumes a(S,d) = (1,...,1) and he denotes by $x^* = EL(S,d)$. In order to prove uniqueness, he takes a solution F satisfying the adequate axioms and constructs auxiliar bargaining problems in order to apply properties of F and get the solution. Among the auxiliar problems he considers (S^1,d) and (S^2,d) , where $S^1=Com\{IR(S,d)\}$, $S^2=\{y\in H_(x^*)|y\leq a(S,d)\}$, p being the normal vector to a supporting hyperplane of S at x^* , and H $(x^*)=\{y\in \mathbb{R}^n|py\leq px^*\}$.

Whenever he gets $F(S^2,d) = x^*$, he claims

- (a) In Th.1, by applying S.MON* on (S^2,d) , (S^1,d) , it follows $F(S^1,d)=x^*$.
- (b) In Th.2, by applying W.MON on (S^2,d) , (S^1,d) , it follows $F(S^1,d)=x^*$.

But notice that if we take (S,d) such that $EL(S,d) \notin IR(S,d)$ and $EL(S,d) \notin S^1$, we can conclude neither in (a) nor in (b) $F(S^1,d) = x^*$, since in such a case, $x^* \notin S^1$ [as an example, take (S,d) $\in \Sigma^3$ such that d=(0,0,0), and $S=CoCom\{(15,-3,0),(0,-3,25),(0,2,0)\}$].

Nevertheless, Theorems 1 and 2 are correct, as can be seen by considering the following modification in the proofs:

Start by taking $(S,d) \in \Sigma^n$ such that WPO(A) = PO(A), where A = $\{x \in S: x_i \ge \min(x_i^*,d_i)\}$, and $x^* = EL(S,d)$. By T.INV, take a(S,d) = (1,...,1). Now construct S^1 , S^2 and S^3 as in Chun (1988), but taking A instead of IR(S,d). Then, everything follows.

5. FINAL REMARKS

It is true that the equal-loss principle is an appealing one when dealing with problems of bankrupcy, property rigths and taxation, and, as was pointed out by Young (1987), it has been traditionally used in distributive justice problems. Nevertheless, Chun's application to bargaining problems of the equal-loss principle has a main shortcoming, namely, that his proposed solution is not individually rational. It is not clear to us how a non-individually rational solution can be defended on the grounds of agreements among agents, taking into account that, with no agreement, they end up at d.

Notice that, in case n=2, then EL is individually rational. So, previous remark does not apply for n=2.

In order to ensure Pareto Optimality (and not only Weak Pareto Optimality), recently Chun & Peters (1991) presented a variation of the the lexicographic equal-loss solution, equal-loss solution, namely, constructs LEL(S,d), in which, by starting with EL(S,d),he lexicographic extension of EL(S,d), by means of increasing the utility levels of some agents, without damaging the rest, and looking for a maximal element in this way. It is worth pointing out that by means of this modification, the problem of the lack of individual rationality is not solved, as can be seen by considering the following example (which is only a slight modification of that presented in Section 3): Let $S:=\{(x,y,z)\in\mathbb{R}^3:\ 5x+15y+3z\le 30\}$, and let d=(0,0,0). In this case, a(S,d)=(6,2,10), and EL(S,d)=(70/23,-14/23,170/23), with common losses from the ideal point of 60/23. Clearly, in this example, $EL(S,d)\notin IR(S,d)$. On the other hand, $EL(S,d)\in PO(S,d)$, and therefore, EL(S,d)=LEL(S,d).

REFERENCES

- Auman, R.J. & Maschler, M "Game theoretic analysis of a bankruptcy problem from the Talmud", *Journal of Economic Theory* 36:195-213, 1985.
- Chun, Y. "The Equal-loss Principle for Bargaining Problems", Economics

 Letters 26: 103-106, 1988.
- Chun, Y. & Peters, H. "The Lexicographic Equal-Loss Solution",

 Mathematical Social Sciences, forthcoming, 1991.
- Freimer, M. & Yu, P.L. "Some new results on compromise solutions for group decision problems", *Management Science*, 22: 688-693, 1976.
- Kalai, E. "Proportional Solutions to Bargaining Situations: Interpersonal Utility Comparisons", *Econometrica*, 45: 1623-1630, 1977.
- Kalai, E. & Smorodinski, M. "Other Solutions to Nash's Bargaining Problem", *Econometrica*, 43: 513-518, 1975.
- Luce, R.D. & Raiffa, H. Games and Decisions, Wiley, New York, 1957.
- Nash, J.F. "The Bargaining Problem", Econometrica, 18: 155-162, 1950.
- Roth, A. Axiomatic Models of Bargaining, Springer-Verlag, Berlin, 1979.

- Thomson, W. "Monotonicity of bargaining solutions with respect to the disagreement point", *Journal of Economic Theory*, 42:50-58, 1987.
- Thomson, W. "Cooperative Models of Bargaining", W.P. 177, University of Rochester, 1989.
- Young, H.P. "Progressive taxation and the equal sacrifice principle, Journal of Public Economics, 32:203-214, 1987.
- Young, H.P. "Distributive justice in taxation", Journal of Economic Theory 44:321-335, 1988.
- Yu, P.L. "A Class of Solutions for Group Decision Problems", Management Science, 19: 936-946, 1973.

APPENDIX

Proof of Th.1: Obviously, EL satisfies the four axioms. In order to prove uniqueness, suppose F is a solution satisfying those axioms. Let $(S,d) \in \Sigma^n$ such that a(S,d) = (1,...,1) (T.Inv), and denote $x^* = EL(S,d)$. Let now $A = (x \in S; x_i \ge \min (x_i^*, d_i^*))$, and assume that WPO(A) = PO(A). Let now $S^1 = Co(A)$, $P \in \Delta^{n-1}$ the normal vector to the supporting hyperplane of S at x^* , $H_-(x^*) = (y \in \mathbb{R}^n; Py \le px^*)$, and $S^2 = (y \in H_-(x^*); y \le a(S,d))$. Now, $\forall i$, let y^i be the WPO maximal point in S^2 such that $y^i_1 = a_i(S,d) = 1$, $y^i_1 = y^i_k = \alpha^i$, $\forall j,k \ne i$. Let $\alpha^* = \min \alpha^i$, and $\forall i$, let z^i such that $z^i_1 = a_i(S,d) = 1$, $z^i_j = \alpha^* \ \forall j \ne i$. Finally, let $S^3 = \Gamma Co \ (x^*,z^1,...,z^n)$. By choosing $d^* = (\alpha^*,...,\alpha^*)$, we have $a(S^3,d^*) = (1,...,1)$, and by WPO and $a(S^3,d^*) = (1,...,1)$, and $a(S^3,d^*) = (S^3,d^*) = (S^3,d^*)$. We conclude $a(S^3,d^*) = (S^3,d^*)$ and $a(S^3,d^*) = (S^3,d^*)$, we conclude $a(S^3,d^*) = (S^3,d^*)$. Show there is a sum of $a(S^3,d^*) = (S^3,d^*)$. We get $a(S^3,d^*) = (S^3,d^*) = (S^3,d^*)$. We conclude $a(S^3,d^*) = (S^3,d^*)$. Show there is a sum of $a(S^3,d^*) = (S^3,d^*)$. We conclude $a(S^3,d^*) = (S^3,d^*)$.

Finally, for an arbitrary element (S,d) in Σ^n , we apply S.MON*.

<u>Proof of Th.2:</u> Obviously, EL satisfies all the six axioms. In order to prove uniqueness, let F be a solution satisfying all the axioms. Let $(S,d) \in \Sigma^n$ such that a(S,d) = (1,...,1) (TINV), and denote $x^* = EL(S,d)$. Construct A as in the proof of Th.1, and assume that WPO(A)=PO(A). Let now S^1 , S^2 and S^3 be as in the proof of Th.1.

By Choosing $d^* = (\alpha^*, ..., \alpha^*)$, we get $a(S^3, d^*) = (1, ..., 1)$, and by WPO and SY, $F(S^3, d^*) = x^*$. By applying WMON on (S^3, d^*) , (S^2, d^*) , we get $F(S^2, d^*) = x^*$, and by ID.MON on (S^2, d^*) , (S^2, d) , we get $F(S^2, d) = x^*$. Now, by applying WMON twice on (S^2, d) , (S^1, d) and (S^1, d) , (S, d), it follows that $F(S, d) = x^*$.

For an arbitrary element (S,d) in Σ^n we apply CONT.

PUBLISHED ISSUES

FIRST PERIOD

1	"A Metatheorem on the Uniqueness of a Solution" T. Fujimoto, C. Herrero. 1984.
2	"Comparing Solution of Equation Systems Involving Semipositive Operators" T. Fujimoto, C. Herrero, A. Villar. February 1985.
3	"Static and Dynamic Implementation of Lindahl Equilibrium" F. Vega-Redondo. December 1984.
4	"Efficiency and Non-linear Pricing in Nonconvex Environments with Externalities" F. Vega-Redondo. December 1984.
5	"A Locally Stable Auctioneer Mechanism with Implications for the Stability of General Equilibrium Concepts" F. Vega-Redondo. February 1985.
6	"Quantity Constraints as a Potential Source of Market Inestability: A General Model of Market Dynamics" F. Vega-Redondo. March 1985.
7	"Increasing Returns to Scale and External Economies in Input-Output Analysis" T. Fujimoto, A. Villar. 1985.
8	"Irregular Leontief-Straffa Systems and Price-Vector Behaviour" I. Jimenez-Raneda / J.A. Silva. 1985.
9	"Equivalence Between Solvability and Strictly Semimonotonicity for Some Systems Involving Z-Functions" C. Herrero, J.A. Silva. 1985.
10	"Equilibrium in a Non-Linear Leontief Model" C. Herrero, A. Villar. 1985.
11	"Models of Unemployment, Persistent, Fair and Efficient Schemes for its Rationing" F. Vega-Redondo. 1986.
12	"Non-Linear Models without the Monotonicity of Input Functions" T. Fujimoto, A. Villar. 1986.
13	"The Perron-Frobenius Theorem for Set Valued Mappings" T. Fujimoto, C. Herrero. 1986.
14	"The Consumption of Food in Time: Hall's Life Cycle Permanent Income Assumptions and Other Models" F. Antoñazas. 1986.
15	"General Leontief Models in Abstract Spaces" T. Fujimoto, C. Herrero, A. Villar. 1986.

16	"Equivalent Conditions on Solvability for Non-Linear Leontief Systems" J.A. Silva. 1986.
17	"A Weak Generalization of the Frobenius Theorem" J.A. Silva. 1986
18	"On the Fair Distribution of a Cake in Presence of Externalities" A. Villar. 1987.
19	"Reasonable Conjetures and the Kinked Demand Curve" L.C. Corchón. 1987.
20	"A Proof of the Frobenius Theorem by Using Game Theory" B. Subiza. 1987.
21	"On Distributing a Bundle of Goods Fairly" A. Villar. 1987.
22	"On the Solvability of Complementarity Problems Involving Vo-Mappings and its Applications to Some Economic Models" C. Herrero, A. Villar. 1987.
23	"Semipositive Inverse Matrices" J.E. Peris. 1987.
24	"Complementary Problems and Economic Analysis: Three Applications" C. Herrero, A. Villar. 1987.
25	"On the Solvability of Joint-Production Leontief Models" J.E. Peris, A. Villar. 1987.
26	"A Characterization of Weak-Monotone Matrices" J.E. Peris, B. Subiza. 1988.
27	"Intertemporal Rules with Variable Speed of Adjustment: An Application to U.K. Manufacturing Employment" M. Burgess, J. Dolado. 1988.
28	"Orthogonality Test with De-Trended Data's Interpreting Monte Carlo Results using Nager Expansions" A. Banerjee, J. Dolado, J.W. Galbraigth. 1988.
29	"On Lindhal Equilibria and Incentive Compatibility" L.C. Corchón. 1988.
30	"Exploiting some Properties of Continuous Mappings: Lindahl Equilibria and Welfare Egalitaria Allocations in Presence of Externalities" C. Herrero, A. Villar. 1988.
31	"Smoothness of Policy Function in Growth Models with Recursive Preferences" A.M. Gallego. 1990.
32	"On Natural Selection in Oligopolistic Markets" L.C. Corchón. 1990.

- "Consequences of the Manipulation of Lindahl Correspondence: An Example" 33 C. Bevía, J.V. LLinares, V. Romero, T. Rubio. 1990. "Egalitarian Allocations in the Presence of Consumption Externalities" 34 C. Herrero, A. Villar. 1990. SECOND PERIOD WP-AD 90-01 "Vector Mappings with Diagonal Images" C. Herrero, A. Villar. December 1990. WP-AD 90-02 "Langrangean Conditions for General Optimization Problems with Applications to Consumer Problems" J.M. Gutierrez, C. Herrero. December 1990. "Doubly Implementing the Ratio Correspondence with a 'Natural' Mechanism" WP-AD 90-03 L.C. Corchón, S. Wilkie. December 1990. WP-AD 90-04 "Monopoly Experimentation" L. Samuelson, L.S. Mirman, A. Urbano. December 1990. "Monopolistic Competition: Equilibrium and Optimality" WP-AD 90-05 L.C. Corchón, December 1990. WP-AD 91-01 "A Characterization of Acyclic Preferences on Countable Sets" C. Herrero, B. Subiza. May 1991. WP-AD 91-02 "First-Best, Second-Best and Principal-Agent Problems" J. Lopez-Cuñat, J.A. Silva. May 1991. "Market Equilibrium with Nonconvex Technologies"
- WP-AD 91-04 "A Note on Tax Evasion" L.C. Corchón, June 1991.

A. Villar. May 1991.

WP-AD 91-03

- WP-AD 91-05 "Oligopolistic Competition Among Groups" L.C. Corchón. June 1991.
- "Mixed Pricing in Oligopoly with Consumer Switching Costs" WP-AD 91-06 A.J. Padilla. June 1991.
- "Duopoly Experimentation: Cournot and Bertrand Competition" WP-AD 91-07 M.D. Alepuz, A. Urbano. December 1991.
- "Competition and Culture in the Evolution of Economic Behavior: A Simple Example" WP-AD 91-08 F. Vega-Redondo. December 1991.
- WP-AD 91-09 "Fixed Price and Quality Signals" L.C. Corchón. December 1991.
- "Technological Change and Market Structure: An Evolutionary Approach" WP-AD 91-10 F. Vega-Redondo. December 1991.

- WP-AD 91-11 "A 'Classical' General Equilibrium Model" A. Villar. December 1991.
- WP-AD 91-12 "Robust Implementation under Alternative Information Structures" L.C. Corchón, I. Ortuño. December 1991.
- WP-AD 92-01 "Inspections in Models of Adverse Selection" I. Ortuño. May 1992.
- WP-AD 92-02 "A Note on the Equal-Loss Principle for Bargaining Problems" C. Herrero, M.C. Marco. May 1992.